

West River Dental

Caring for a Temporary Restoration:

Chewing and Eating:

- 1. If we placed a temporary filling or crown on your tooth, avoid chewing for at least 30 minutes to allow the restoration to harden.
- 2. To keep your temporary restoration in place, avoid eating hard or sticky foods, especially chewing gum. If possible, chew only on the opposite side of your mouth until a permanent solution is in place.
- 3. It is not a problem for a small portion of a temporary filling to wear away or break off, but if the entire filling wears out, or a temporary crown comes off, call us so we can schedule an immediate replacement.
- 4. If we used an anesthetic during the procedure, avoid chewing until the numbness has completely worn off. Your lips, teeth, and tongue may be numb for several hours.

Brushing and Flossing: Brush and floss normally.

Medications and Discomfort:

- 1. If antibiotics were prescribed, continue to take them for the indicated length of time, even if all symptoms and signs of infection are gone.
- 2. To control discomfort, take pain medication before the anesthetic has worn off or as recommended. It is normal to experience some discomfort for several days, especially when chewing.
- 3. To further reduce discomfort or swelling, rinse your mouth three times a day with warm salt water. Use about one teaspoon of salt per glass of warm water.

When to call us: Call our office if your bite feels uneven, if you have sensitivity or discomfort that increases or continues beyond three or four days, if the temporary filling or crown comes off, or if you have any questions or concerns.